G3 Reader Fingerprint

SL-UA-G3-Fingerprint

DOOR ACCESS

Third-generation, indoor/outdoor NFC card reader with fingerprint, keypad and Touch Pass support.









Available as: SL-UA-G3-Fingerprint-B, SL-UA-G3-Fingerprint-W

OVERVIEW

Dimensions	126.2 × 45 × 56.9 mm (5 × 1.8 × 2.2")
Application Suite	Access
NFC Card & Keyfob Access	✓ Yes
PIN Access	✓ Yes
Apple/Google Wallet	✓ Yes
Mobile Unlock	✓ Yes
Fingerprint Unlock	✓ Yes
Fingerprint Capacity	300
Weatherproofing	IP55
NDAA Compliant	✓ Yes

MECHANICAL

Weight	164 g (5.8 oz)
Enclosure Material	Polycarbonate, aluminum alloy
Mount Material	Steel
Mounting	Wall, gang-box mount (Included) Junction box (Optional)

HARDWARE

Indoor and Outdoor Use	Yes
Networking Interface	(1) 10/100 MbE RJ45 port
Connectivity	BLE 4.2 NFC
Power Method	PoE
Max. Power Consumption	5W
Supported Voltage Range	48V DC
ESD/EMP Protection	Air: ± 8kV, contact: ± 4kV
Sensors	Capacitive Fingerprint
Speaker	✓ Yes *(1) 0.7W*
LEDs	R/G/B/W Learn More
Button	(1) Factory reset
NFC Frequency	13.56 MHz
NFC Read Range	< 30 mm (1.18")
NFC Technology	ISO 14443A, 14443B, 15693 NFC Tag 1,2,3,4,5 MIFARE Classic MIFARE Plus Mifare Ultralight MIFARE DESFire
Certifications	CE, FCC, IC
Ambient Operating Temperature	-30 to 50° C (-22 to 122° F)
Ambient Operating Humidity	5 to 90% noncondensing

SOFTWARE

Management Application	Access
Software Information	The software version can be checked in the cloud portal

PRODUCT DRAWINGS









Prepared by Smart Life, LLC. Specifications and product images are provided by the manufacturer as of October 27, 2026 and are subject to change without notice. Product names are trademarks of their respective owners.