Network Video Recorder

SL-UNVR

PROTECT NVR & STORAGE

A video recorder with (4) 2.5/3.5" HDD bays that can support up to 30 days of storage for (18) 4K cameras or (60) Full HD cameras.









OVERVIEW

Dimensions	442 × 325 × 44 mm (17.4 × 12.8 × 1.7")
Managed Cameras	(60) HD (30) 2K (18) 4K
Managed Access Hubs	150+ *Please note, Reader Pro and Intercom quantities must be below Protect supported camera limits.*
Storage Capacity	(4) 2.5/3.5" drive bays
Data Protection	✓ Yes
Vantage Point	✓ Yes
Networking Interface	(1) 10G SFP+ port (1) GbE RJ45 port
Power Redundancy	✓ Yes *Power Backup ready*
Form Factor	Rack mount (1U)

Door Access Support	✓ Yes
Management Application	Protect Access Connect

HARDWARE

Hard Drive Capacity	(4) 2.5/3.5” HDD / SSD support
Max. Power Budget for Drives	75W
Max. Power Consumption	100W
Power Method	(1) Universal AC input, 100–240V AC, 2A Max., 50/60 Hz (1) USP-RPS DC input, 11.5V DC, 10.43A
Power Supply	AC/DC, internal, 120W
Processor	Quad ARM® Cortex®-A57 cores at 1.7 GHz
Memory	4 GB
Management	Ethernet
Weight	Without mounting brackets: 5.1 kg (11.3 lb) With mounting brackets: 5.2 kg (11.5 lb)
Enclosure Material	SGCC steel
Mount Material	SGCC steel
Ambient Operating Temperature	-5 to 40° C (23 to 104° F)
Ambient Operating Humidity	5 to 95% noncondensing
NDAA Compliant	✓ Yes
Certifications	CE, FCC, IC, SRRC, Anatel: 01924-21-08356

PRODUCT DRAWINGS





Prepared by Smart Life, LLC. Specifications and product images are provided by the manufacturer as of October 27, 2026 and are subject to change without notice. Product names are trademarks of their respective owners.